

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1	09/832323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:05
-	0	("6236978" "5910986" "6636889" "6732148" "6248946" "6300947" "6311194" "6393477" "6405252" "6414677" "6466975" "6477575" "6615251" "6393420" "6442529" "6549896" "6701316" "6253193" "6363488" "6389402" "6427140" "6473851" "6505171" "6418448" "6115718" "6446035" "6006197" "6449739" "6477483" "6546389" "6560564" "6564342" "6641037" "6687691" "6694303" "6738933" "6748420" "6662195" "6671715" "6694316" "6741980" "6073175" "6173322" "6175830" "6134532" "6389458" "6714928" "5842211" "6144988" "6074299").pn. and connection same server same transaction and pars\$3 with content and transaction same content same required same rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:11
-	4	("6236978" "5910986" "6636889" "6732148" "6248946" "6300947" "6311194" "6393477" "6405252" "6414677" "6466975" "6477575" "6615251" "6393420" "6442529" "6549896" "6701316" "6253193" "6363488" "6389402" "6427140" "6473851" "6505171" "6418448" "6115718" "6446035" "6006197" "6449739" "6477483" "6546389" "6560564" "6564342" "6641037" "6687691" "6694303" "6738933" "6748420" "6662195" "6671715" "6694316" "6741980" "6073175" "6173322" "6175830" "6134532" "6389458" "6714928" "5842211" "6144988" "6074299").pn. and transaction same content same required same rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:10
-	0	("6236978" "5910986" "6636889" "6732148" "6248946" "6300947" "6311194" "6393477" "6405252" "6414677" "6466975" "6477575" "6615251" "6393420" "6442529" "6549896" "6701316" "6253193" "6363488" "6389402" "6427140" "6473851" "6505171" "6418448" "6115718" "6446035" "6006197" "6449739" "6477483" "6546389" "6560564" "6564342" "6641037" "6687691" "6694303" "6738933" "6748420" "6662195" "6671715" "6694316" "6741980" "6073175" "6173322" "6175830" "6134532" "6389458" "6714928" "5842211" "6144988" "6074299").pn. and pars\$3 with content and transaction same content same required same rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:11

-	0	709/205 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:13
-	0	709/203 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:13
-	0	709/217 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:13
-	0	709/219 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/202 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/204 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/227 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/206 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:15
-	0	709/\$ and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:15
-	0	709/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:16

-	0	707/10 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:16
-	0	707/102 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:16
-	0	707/104.1 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/2 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/3 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/6 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/9 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:18
-	0	705/26 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:18
-	0	705/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:19

-	0	713/201 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:19
-	0	713/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:19
-	0	715/513 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:20
-	0	715/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:20
-	0	706/47 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:20
-	0	706/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	0	connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	0	pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	0	connection near3 persistent and pars\$3 same content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	26	connection and pars\$3 same content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:22

-	0	connection with persistent and pars\$3 same content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:22
-	0	connection and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:22
-	22	connection and pars\$3 same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:23
-	0	connection same pars\$3 same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:23
-	22	pars\$3 same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:24
-	0	pars\$3 same page same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 12:24
-	5	pars\$3 same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:38
-	10	(pars\$3 separat\$3 separat\$3) same content same page and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:39
-	7	(pars\$3 separat\$3 separat\$3) same content same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:40
-	1	(pars\$3 separat\$3 separat\$3) with content same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:41

-	1	(pars\$3 separat\$3 seperat\$3) with content same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:40
-	0	(pars\$3 separat\$3 seperat\$3) near3 content same transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:42
-	42	(pars\$3 separat\$3 seperat\$3) near3 content and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:42
-	42	(pars\$3 separat\$3 seperat\$3) near3 content and page and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:43
-	2	(pars\$3 separat\$3 seperat\$3) near3 content same page and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:43
-	2	(pars\$3 separat\$3 seperat\$3) near3 content and page same transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:45
-	0	(pars\$3 separat\$3 seperat\$3) near3 content same transaction and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:45
-	0	(pars\$3 separat\$3 seperat\$3) near3 content with transaction and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:45
-	0	(pars\$3 separat\$3 seperat\$3) near3 content near3 transaction and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:46
-	5	(pars\$3 separat\$3 seperat\$3) near3 content near3 transaction and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:47

-	0	(pars\$3 separat\$3 separat\$3) near3 content near3 transaction same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:47
-	1	(pars\$3 separat\$3 separat\$3) near3 content same transaction same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:49
-	4	(pars\$3 separat\$3 separat\$3) with content same transaction same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:49
-	1	(pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:50
-	44	(pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:54
-	4	(pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) same transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	9	709/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:52
-	18	713/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:52
-	1	714/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	3	715/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53

-	26	705/\$ and (pars\$3 separat\$3 seperat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	1	706/\$ and (pars\$3 separat\$3 seperat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	9	707/\$ and (pars\$3 separat\$3 seperat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:54
-	2	707/\$ and (pars\$3 separat\$3 seperat\$3) near3 content near3 (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:54
-	5	(pars\$3 separat\$3 seperat\$3) near3 content near3 (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:55
-	0	pars\$3 near3 content near3 (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:13
-	4	pars\$3 with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:04
-	18	pars\$3 near3 content near3 (static transaction dynamic) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:06
-	12	709/\$ and pars\$3 near3 content near3 (static transaction dynamic) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:06
-	0	709/\$ and pars\$3 near3 content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:07

-	1	709/\$ and pars\$3 with content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:07
-	4	709/\$ and pars\$3 with content with transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:07
-	3	pars\$3 near3 content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:10
-	4	pars\$3 with content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:10
-	13	pars\$3 with content with transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:13
-	15	electronic near3 transaction\$2 near3 content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 13:26
-	37	electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:27
-	15	(parse parses parsed parsing parser) and electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:30
-	9	(parse parses parsed parsing parser) same (page content) and electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:32
-	0	(parse parses parsed parsing parser) with (page content) and electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:33

-	53	(parse parses parsed parsing parser) with (page content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:34
-	1	(parse parses parsed parsing parser) with page with (static dynamic transaction\$2 content) and transaction\$2 with content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:34
-	1	(parse parses parsed parsing parser) with page with (static dynamic transaction\$2 content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:42
-	2	(pars\$3 separat\$4) with page with (static dynamic transaction\$2 content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:42
-	0	(pars\$3 separat\$4) with page with (static dynamic transaction\$2 content) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:42
-	5	(pars\$3 separat\$4) with page with (static dynamic transaction\$2 content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 13:54
-	91	(pars\$3 separat\$4) same page same (static dynamic transaction\$2 content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:55
-	126	(pars\$3 separat\$4) with (page file) same (static dynamic transaction\$2 content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:56
-	2	(pars\$3 separat\$4) with (page file) same transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:57
-	230	(pars\$3 separat\$4) with (page file) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:57

-	118	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:58
-	62	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:59
-	61	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 with content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:59
-	47	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:59
-	4	pars\$3 with (page file) with (data media content) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:00
-	2	(pars\$3 separat\$4) with (page file) with (data media content) with transaction\$2 and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:01
-	3	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:03
-	3	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:07
-	0	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) with content with (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with display and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:07
-	2	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) with content with (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:13

-	397	(pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:09
-	113	709/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:10
-	106	707/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:10
-	45	345/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:10
-	16	715/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:11
-	146	(pars\$3 separat\$4) with (page file) with (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:12
-	83	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:12

-	74	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:14
-	84	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and ((procurement procure purchas\$3 transaction\$2) (data media content)) with (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:14
-	4	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same required same (validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:16
-	1	(pars\$3 separat\$4) with (page file) with content with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same content same required same (validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:32
-	259	electronic same transaction\$2 same required same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:33
-	22	rule same electronic same transaction\$2 same required same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:39
-	0	rule same electronic same transaction\$2 same required near field same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:39
-	0	rule same electronic same transaction\$2 same required near2 field same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:39
-	43	electronic same transaction\$2 and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:40

-	40	electronic same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:41
-	1	(browser display gui interface) same electronic same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:43
-	40	(browser display gui interface) and electronic same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:43
-	40	(browser display gui interface) same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:46
-	39	(browser display gui interface) same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:47
-	40	(browser display gui interface) same (purchas\$3 procurement procure order\$3 transaction\$2) and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:50
-	2	same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410) (browser display gui interface) same (purchas\$3 procurement procure order\$3 transaction\$2) and (pars\$4 separat\$4) near3 (page file content) same (purchas\$3 procurement procure order\$3 transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:48
-	0	(browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near3 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:48
-	0	(browser display gui interface) and (pars\$4 separat\$4) near3 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:49
-	0	(browser display gui interface) and (pars\$4 separat\$4) with (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:49

-	8	(browser display gui interface) and (pars\$4 separat\$4) same (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:49
-	39	(browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:50
-	31	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:52
-	31	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:51
-	31	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:52
-	31	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 14:54
-	38	same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410) (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:55
-	39	(browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:57
-	0	(browser display gui interface) and (purchas\$3 procurement procure transaction\$2) same (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:24
-	21	709/219 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:25

-	8	709/227 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:25
-	1	705/64 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	0	705/75 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	4	705/39 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	1	707/7 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	17	707/2 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	24	707/10 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	23	707/102 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	0	345/748 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27
-	0	345/760 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27

-	3	345/762 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27
-	0	715/513 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27
-	0	902/40 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	0	902/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	24	709/203 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	41	709/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	47	705/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	38	707/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	1	715/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	22	345/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:04

-	37	707/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	47	705/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	1	715/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	40	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:33
-	21	345/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:30
-	0	902/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:30
-	34	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:34
-	34	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:34
-	68	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule with required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:34
-	33	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule with required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:35

-	4	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:36
-	4	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule with required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:35
-	0	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	707/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	705/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	715/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	345/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	902/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:41

-	0	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 with (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:39
-	21	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 same (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:39
-	3	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near2 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:48
-	4	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:50
-	5	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:50
-	29	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:51
-	8	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near2 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:01
-	13	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) same (purchas\$3 procurement procure transaction\$5) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:32
-	2	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:43

-	9	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:44
-	10	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:48
-	12	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near3 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:48
-	18	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:54
-	12	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:56
-	39	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$5) and (static audio video sound) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:57
-	5	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:59
-	0	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:04
-	1	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:59

-	1	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:59
-	6	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:00
-	4	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:04
-	0	tunnel\$3 and (browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:04
-	0	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:06
-	20	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:32
-	0	bluestreak.as. and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:05
-	5	bluestreak.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:05
-	20	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) same page and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:33

-	20	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) with page and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:34
-	3	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) with page near3 (web server) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:35
-	3	(browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:36
-	3	page near3 (web server) with (electronic transact\$5) and (browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:37
-	3	page near3 (web server) with (purchas\$3 procurement procure electronic transact\$5) and (browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:38
-	3	page near3 (web server) with (purchas\$3 procurement procure electronic transact\$5) and (browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:40